SPECIFICATION SHEET



| Project Name: | Type: | Quantity: |
|---------------|-------|-----------|

INTENDED USE

Our Half-Moon Perforated Linear LED Suspension Light combines sleek design with high-performance illumination, making it an ideal solution for hotels, offices, retail spaces, restaurants, storage rooms, conference rooms, reception areas, hallways, and educational facilities. Available in three color temperature options, this fixture offers versatile lighting to suit various environments. Optional features include an emergency battery backup and remote control for added convenience and functionality.

FEATURES

Construction: Anodized Aluminum with

Polycarbonate end caps Lens: Perforated casket Finish: Powder coated white

Mounting: 6-Foot Aircraft Suspension Cable Color Temperature: 35/40/50K Selectable

Optics: Direct Downlight or Direct and Indirect

Voltage: 120-277V AC 60Hz

Wattage: 60W Direct Downlight. 20W Direct,

40W Indirect

Lumen Output Range: 4400 lm

Driver: 0-10V dimming

CRI: 80+

Power Factor: ≥95%

Total Harmonic Distortion: <20%

Operating Temperature: -22°F to +104°F

Life: 50,000 Listing: cUL


Warranty: 5 years carefree for parts & components (Labor not included)











47.5" H x 3.5" D x 11.8" W







ORDERING INFORMATION Example:

| Model | Options | |
|-------|---|--|
| 12033 | EM Emergency Battery RC Remote Control CB Coupling Bracket MS Daylight & Motion Sensor | |




VIEWS



PHOTOMETRY

12033-60



OPTIONS



CB Coupling Bracket



RC Remote Control



