


**FIXTURE SPECIFICATIONS**

**INTENDED USE**

Alcon Lighting’s semi-direct luminaire provides ambient lighting for office applications. Glare-free direct light is provided by a semi-specular parabolic louver with holographic film diffuser. A small percentage of indirect light is provided by perforated side panels of the luminaire. Comes in standalone lengths of 2',3',4', 6' and 8', as well as continuous runs based on 8' lengths, with 1' increments at the end of the run. Available in 2700K, 3000K, 3500K, 4000K.



12286 - Semi-Direct Luminaire

**FEATURES**

- Construction:** Extruded Aluminum with brake-formed Cold Rolled Steel Side Panels
- Finish:** Powder Coat Paint
- Lens:** Semi-Specular Parabolic Louver
- CRI:** 90 min with R9>60
- Voltage:** 120V-277V
- Dimming:** 0-10V Dimming
- Ambient Operating Temperature:** -22°F (-30°C) ~ 131°F (55°C)
- Beam Angle:** 100°
- Life:** 98,000 Hours
- Power Factor:** >0.95
- Listings:** Buy American Act Compliant
- Weight:** 30 Pounds (8ft. Luminaire)
- Warranty:** 5 Years Carefree for Parts & Components (Labor Not Included)




**ORDERING INFORMATION** Example: (12286-2-D7-27-AC4-WH-DS)

Model	Length	Wattage	Color Temperature	Mounting	Finishes	Options
<b>12286</b>	<b>2</b> 2 Foot	<b>D7</b> 7.5W/ft	<b>27</b> 2700K	<b>AC4</b> 4 Foot	<b>WH</b> Textured White	<b>DS</b> Daylight Sensor
	<b>3</b> 3 Foot	<b>D10</b> 10W/ft	<b>30</b> 3000K	<b>AC8</b> 8 Foot	<b>SL</b> Textured Silver	<b>OS</b> Occupancy Sensor
	<b>4</b> 4 Foot	<b>D15</b> 15W/ft	<b>35</b> 3500K		<b>BK</b> Textured Black	<b>DOS</b> Daylight/Occupancy Sensor
	<b>6</b> 6 Foot		<b>40</b> 4000K		<b>XX</b> Textured Custom	
	<b>8</b> 8 Foot				Colors(see page 3)	
	<b>CRx</b> <sup>1</sup> Continuous Run					

<sup>1</sup> Specify desired system length in Feet











**DIMENSIONS**



<b>A</b>	2'	3'	4'	5'	6'
<b>B</b>	0.31'	0.31'	0.31'	0.31'	0.31'
<b>C</b>	0.29'	0.29'	0.29'	0.29'	0.29'

## AVAILABLE FINISHES

### Metropolitan

	Black	RAL #9011
	Silver	RAL #9022
	Asher Grey	RAL #7004
	Mason	RAL #7039
	Slate	RAL #7031
	Tech Grey	RAL #7016
	Chocolate Spice	RAL #8017
	Urban Native	RAL #8025
	Carmin	RAL #8028
	Reseda Green	RAL #6011

### Vibrant

	Violet Dreams	RAL #4006
	Purple Red	RAL #3004
	Carmine Red	RAL #3002
	Rose	RAL #3017
	Pure Orange	RAL #2004
	Traffic Yellow	RAL #1023
	Daisy	RAL #1018
	Antique Spring	RAL #6019
	Island Skye	RAL #6027
	Sky Blue	RAL #5015

# COLOR TEMPERATURE GUIDE



2700K	3000K	3500K	4000K	5000K
<b>WARM WHITE</b>	<b>SOFT WHITE GLOW</b>	<b>NEUTRAL GLOW</b>	<b>COOL WHITE GLOW</b>	<b>DAYLIGHT GLOW</b>
friendly personal intimate	soft warm pleasing	sociable inviting non-threatening	neat clean efficient	bright cool alert
HOMES LIBRARIES RESTAURANTS	HOMES HOTEL ROOMS LOBBIES RETAIL STORES	EXECUTIVE OFFICES RECEPTION AREAS SUPERMARKETS	OFFICES CLASSROOMS MASS MERCHANDISERS SHOWROOMS	GRAPHICS INDUSTRY HOSPITALS GALLERIES BEAUTY SALONS
✓	✓	✓	✓	✗