

Project Name:	Type:	Quantity:	Shop Now

## FIXTURE SPECIFICATIONS

### INTENDED USE

This wall wash perimeter RGBW color-changing LED lightstrip suits hallway accent lighting and lighting art or other features on the adjacent wall. The commercialgrade trimless lighting product yields recessed downlight. It's designed with a modern aesthetic and comes in standard lengths of 2-foot, 4-foot, 6-foot, 8-foot and custom cuts of any length. The 24-voltage lightstrip, ideal for commercial and residential interiors, can be joined in seamless runs of any length.

#### PRODUCT FAMILY

**12100-10-P** | Pendant 12100-10-S | Surface 12100-10-R | Recessed

12100-10-LR | Low-Profile Recessed 12100-10-PR | Perimeter Recessed 12100-10-R-RGBW | Recessed RGBW

#### FEATURES

Construction: Durable military grade aluminum, field cuttable can be installed in any drywall thickness

LED Driver: Remote non-dimming transformer is provided home run required at every

16' Beam Angle: 120°

Lens: Glare-free snap in frosted acrylic for even distribution

Shape Design: Fixture profile can be miter cut-in the field-to achieve desired shape

design Finish: Matte White Voltage: 24V DC Constant voltage Lumens: 475 Lumens per foot Wattage: 8.8W per foot

**Dimming:** Light is Dimmable via iOS/Android Application or Optional Controls

WiFi Controls (iOS/Android):

Mobile App: Easy Home Smart Home

DMX Wall App: WiFi 104 Life: 50,000 Hours

Warranty: 5 Years Carefree for Parts & Components

(Labor Not Included)

Listings: cUL Listed, Title 24 Certified, Dry Location IP45 (LED Component Only),

Optional Wet Location IP65 (LED Component Only)


















# ORDERING INFORMATION Example: (12100-10-PR-RGBW-2-RGBW27K-RF)

Model	Length   Wattage	Color Temp	Options
<b>12100–10–PR–RGBW</b> Perimeter Recessed RGBW	2 2 Foot   17.6 Watts 4 4 Foot   35.2 Watts 6 6 Foot   52.8 Watts 8 8 Foot   70.4 Watts	RGBW27K RGB + 2700K RGBW30K RGB + 3000K RGBW40K RGB + 4000K RGBW50K RGB + 5000K	WIFI Mobile Application + WiFi RF RF Remote Control (White) DMX DMX Wall Control (White) DMX-W- WIFI DMX Wall Control (White) + WiFi DMX-B-WIFI DMX Wall Control (Black) + WiFi WL Wet Location IP65
	XX <sup>2</sup> Custom Length		
Replace XX with Length in Fe			ot required for Trimless ntinuous runs over 8' ship as components for field assembl



## **RGBW CONTROLS**



**RF** Remote Control

6.38" L x 1.65" W x 0.59" H



**DMX** Wall Control

5.20" L x 7.09" W x 1.38" H



Mobile Application + WiFi

WiFi-104

iOS + Android



DMX Wall Control + WiFi

5.75" L × 4.17" W × 0.43" H



