

Project Name: Type: Quantity:	Shop Now
-------------------------------	----------

FIXTURE SPECIFICATIONS

INTENDED USE

Including a snap-on mounting bracket for an easy installation to T-Bars, our low profile LED T-bar grid light is made from highquality aluminum. This surface mount profile is manufactured with a frosted diffuser for maximum lumen output and wide beam distribution.

FEATURES


Construction: Aluminum construction with frosted lens. Installation: Factory assembled for easy and fast installation. Wire

Driver: Remote non-dimming transformer is provided home run required at every 16'

Voltage:24V input Lumen:310L per foot Wattage:5W per foot WiFi Controls (iOS/Android): Mobile App: Easy Home Smart Home DMX Wall App: WiFi 104 **CRI:**90+

Life:50.000 Hours

Listings: cULus, CA Title 24 JA8, Assembled in USA Warranty: 5 years carefree for parts & components (labor not included)















ORDERING INFORMATION EXAMPLE: (14027-RGBW-2-WH-RGB+27K-RF)

Controllers Finish Color Temperature Model Length 14027-RGBW 2 WH WIFI RGB+27K 2 Foot | 10W | 620L Mobile Application + WiFi White RGB + 2700K 4 RGB+30K BK 4 Foot | 20W | 1,240L RF Remote Control (White) RGB + 3000K Black 6 DMX RGB+40K 6 Foot | 30W | 1,860L RGB + 4000K DMX Wall Control (White) DMX-W-WIFI RGB+50K 8 Foot | 60W | 2,480L DMX Wall Control (White) + WiFi RGB + 5000K DMX-B-WIFI DMX Wall Control (Black) + WiFi



LINE DRAWINGS







Includes 15/16" T-bar mounting brackets

RGBW CONTROLLERS



RF Remote Control

6.38" L x 1.65" W x 0.59" H



DMX Wall Control

5.20" L x 7.09" W x 1.38" H



Mobile Application + WiFi





DMX Wall Control + WiFi

5.75" L x 4.17" W x 0.43" H



