

FIXTURE SPECIFICATIONS

The specification grade Alcon Lighting 14150 Architectural LED Lay-In Troffer Light Fixture delivers a sleek, low profile, low glare, direct ambient light perfect for today's commercial buildings. The 14150 Architectural LED Lay-In Troffer Light Fixture ensures a highly efficient and superior quality lighting fixture.

FEATURES

Color Temperature Switch: Capable of delivering 3000K, 3500K, 4000K & 5000K Color Temperatures

Lens: Anti-glare White Translucent Acrylic

CRI: 80+

Voltage: 120-277V

Dimming: 0-10V Dimmable

Beam Angle: 120°




Life: 50,000 Hour

Operating Temperature: -4°F~122°F

Power Factor: > 0.90

Listings: cULus, DLC Premium, Assembled in the USA


Warranty: 5 years carefree for parts & components (labor not included)



Size	Wattage Lumen
2x2	20W, 25W, 30W, 35W, 40W 2680 lm, 3350 lm, 4020 lm, 4690 lm, 5360 lm
2x4	25W, 30W, 35W, 40W, 50W 3350 lm, 4020 lm, 4690 lm, 5360 lm, 6700 lm

ORDERING INFORMATION Example: (14150-22)

Model	Size Wattage	Options
14150	22 2x2 20W, 25W, 30W, 35W, 40W	EM8 8W Internal Emergency Back-up Battery
	24 2x4 25W, 30W, 35W, 40W, 50W	EM15 15W Internal Emergency Back-up Battery
		EM20 20W Internal Emergency Back-up Battery



Wattage select & color temperature select switches located on the back of the fixture.

Alcon 14150 Architectural Color Temperature and Wattage-Selectable LED Troffer

COLOR TEMPERATURE GUIDE

