


**FIXTURE SPECIFICATIONS**

**INTENDED USE**

Gain easy and interchangeable positioning and switching of lighting fixtures for a custom arrangement with this halo LED ring pendant light series, which lets you guide downlighting fixtures into place on an exterior rounded lighting system. The architectural-grade, curved system functions on both sides of the light fixture.

**DETAILS**


- Construction:** Black aluminum body
- Suspension length:** 120" aircraft cable
- Lens:** White frosted acrylic
- Components:** Maximum combined wattage is 70 watts
- CRI:** 90+
- Voltage:** 1
- Dimming:** TRIAC
- Finish:** Matte Black
- Color Temperature:** 3000K  
(Residential, Hospitality, Retail)
- Warranty:** 5 Years Carefree for Parts & Components  
(Labor Not Included)
- Listings:** cETLus, Title 24 (Round fixture only)



Alcon 15110 Rectangular LED Modular Lighting System Pendant



attachments slide in and lock in place



Slide accessories fluidly on copper rail for custom arrangement















Works on both sides of the light fixture



## ATTACHMENT INFORMATION

Alcon 15115 Interior Rounded LED Modular Lighting System Pendant

**Model**

#			SIDE VIEW	FRONT VIEW	
GB		<p>6W Glowbar</p> <ul style="list-style-type: none"> <li>Cylindrical body for full 360° illumination</li> <li>Diffused light</li> <li>Adjustable head</li> </ul> <p>ø1.25" x 8"H</p>	<p>100</p> 	<p>240</p> 	6 Watts   370 Lumens
FD		<p>10W Fixed</p> <ul style="list-style-type: none"> <li>Diffused light</li> <li>Beam Angle: 160°</li> </ul> <p>ø3" x 8"H</p>	<p>SIDE VIEW</p> 	<p>FRONT VIEW</p> 	10 Watts   480 Lumens
AS8		<p>8W Adjustable</p> <ul style="list-style-type: none"> <li>Adjustable head</li> <li>Beam Angle: 50°</li> </ul> <p>ø2" x 4.5"H</p>	<p>110</p> <p>SIDE VIEW</p> 	<p>240</p> <p>FRONT VIEW</p> 	8 Watts   650 Lumens
AS13		<p>13W Adjustable Spotlight</p> <ul style="list-style-type: none"> <li>Adjustable head</li> <li>Beam Angle: 40°</li> </ul> <p>ø2.5" x 5.5"H</p>	<p>120</p> <p>SIDE VIEW</p> 	<p>240</p> <p>FRONT VIEW</p> 	13 Watts   990 Lumens

**COMPLETE ORDERING INFORMATION** Example: (15110/2/2/4)



Model / Glowbar Qty<sup>1</sup> / Fixed Downlight Qty<sup>1</sup> / 8W Adjustable Spotlight Qty<sup>1</sup> / 13W Adjustable Spotlight Qty<sup>1</sup>

---



<sup>1</sup> Maximum combined wattage is 70 watts



**6W GLOW BAR**





**10W FIXED DOWN LIGHT**





## PHOTOMETRICS



**13W ADJUSTABLE SPOT LIGHT**



**8W ADJUSTABLE SPOT LIGHT**



## COMPATIBLE DIMMERS

Manufacturer	Dimmer SKUs
	Skylark SELV-300P Caseta PD-6WCL Maestro MACL-153M Diva DVCL-153P Skylark CTCL-153PDH Toggler TGCL-153PDH